



# Road Running Technical Council USA Track & Field Moasuromont Cortificat



# Measurement Certificate

	The Bank of	America Chi	icago Mar	athon			
Name of the course	(with certified splits: 25 km, 30 km		km, 35 km	, 40 km)	_ Distance	42.	195 km
Location (state)	IL		(city)		Chicage	0	
Type of course: ro	oad race 🗵 calibra	tion course					
Measuring method:	bicycle 🗵 steel	tape electr	ronic distance	meter			
	nddress, phone & e-mai (IAAF "B"), Warrenville, II	·				96, neylamj	@gmail.com &
Race contact (name, a	ddress, phone & e-mai	ı) Carey Pinko	wski, 135 S	outh LaSa	lle Street,	Suite 116	30,
Chicago, IL 6060	3, (312) 904 9802,	carey.pinkowsl	ki@bankofa	merica.cor	n		
Date(s) when course r	measured: Apr. 28, 2	2018 & Jun. 23	, 2018				
Number of measurements of entire course:2 Course Configur				ration: Partial Loop			
Elevation (meters abo	ve sea level) Start	182 m Finis	h184 m_	Highest_	184 m	_Lowest_	176 m
Straight line distance	between start & finish_	1230 m	Drop	-0.05	m/km Se	eparation _	2.92 %
Type of surface: pay	ved100% dirt	% gra	avel	% grass_	<u>%</u>	track	
	fication:			ertification co	ode:	IL18025	NM
<b>25 km</b> , 182 m, 180 m, 183 m, <b>30 km</b> , 182 m, 180 m, 183 m, <b>35 km</b> , 182 m, 181 m, 183 m,	l, High, Low, Straight line distan 176 m, 4640 m, 0.08 m/km, 18. 176 m, 3770 m, 0.07 m/km, 12. 176 m, 3810 m, 0.03 m/km, 10. 176 m, 3159 m, 0.03 m/km, 7.8	.56% .57% .89%	Notic	ce to Race D			cation Code your race.
Based on e	<b>Be I</b>	t Official	ve named mea	surer, the co	urse describ	ed above a	nd
in the map dards adop	o attached is hereby cented by the Road Running decomes void, and the c	rtified as reasonating Technical Cour	oly accurate in ncil. If <b>any</b> cha	n measureme	ent according	g to the sta	an-
of USA Tr the Road I	on of Course — In the eack & Field, a verificate Running Technical Coucords will be rejected a	tion remeasuremen uncil. If such a ren	nt may be requessurement s	aired to be poshows the co	erformed by	a member	of
Ti	his certification ex	xpires on Dece	ember 31 in	the year	2028		
	AS N	NATIONALLY	CERTIFI	ED BY:			
NyIM.				Date		Jul. 1, 20	18
	JSATF/RRTC Certifi	ier & IAAF-AIM	S Course Me	easurer (A)			
7925 West Palos A	ve, Palos Park, IL 604	464   +1 312 933	3796   neyla	mj@gmail.	com		

IL18025NM - p. 7 of 7

42 km: W edge Columbus, 32' 4" N of streetlight/traffic light pole just N of crosswalk at NW corner of Columbus and Roosevelt.

FINISH: Northbound Columbus Dr, mag nail, W curb Columbus Dr, 37' 4" S of light pole C1010.

- 17 km: E edge Sedgewick, 71' S of fire-hydrant across from 1928 Sedgewick.
- 18 km: W edge Wells, 25' S of traffic light at SW corner of Wells & North Ave.
- 19 km: W edge Wells, 22' S of Chicago WW manhole cover at middle of road, just S of Hill.
- 20 km: Wedge Wells, 56' 4" S of traffic light at SW corner of Wells & Ontario.
- 21 km: E edge Franklin, 83' 9" S of watermain at 160-162 Franklin.
- Half Marathon: Wedge Franklin, 4'S of fire-hydrant at NW corner of Franklin & Court.
- 22 km: S edge Monroe, 13' 7" E of watermain just W of 555 Monroe.
- 23 km: N edge Adams, 61' W of 2<sup>nd</sup> light pole W of SW corner of Adams & Morgan.
- 24 km: N edge Adams, 57' W of fire-hydrant at NW corner of Adams & Laflin.
- 25 km: E edge Damen, 2' 10" N of 2<sup>nd</sup> light pole S of SE corner of Damen & Adams.
- 26 km: S edge Jackson, 78' 10" W of fire-hydrant in-front of 1524 Jackson.
- 27 km: S edge Jackson, 5' 11" W of watermain at 1041 Jackson.
- 28 km: Northbound lanes of Halsted, middle of road, 50' 4" N of fire-hydrant (W edge) S of Harrison.
- 29 km: S edge Taylor, 6' 6" E of Al's honorary street pole (Brown) at parking lot entrance to restaurant.
- 30 km: Mid intersection, 33' 8" S of fire-hydrant at NW corner of Loomis & Washburne.
- 31 km: N edge 18<sup>th</sup> St, 7' E of Chicago Sewer manhole cover in middle of street between 1327 & 1328 18<sup>th</sup> St.
- 32 km: S edge 18<sup>th</sup> St, 11' 4" E of Chicago Sewer manhole cover just E of 1801 18<sup>th</sup> St.
- 33 km: N edge Cermak, 142' 6" E of fire-hydrant E of NE corner of Cermak & Canalport.
- 34 km: N edge Cermak, under bridge, 3' E of the west-end of 1st bridge W of Archer.
- 35 km: E curb of median, 84' S of 1st light pole S of overpass, just S of 24th Pl.
- 36 km: Wedge Wentworth, 3' 2" N of light pole in-front of 3036-3024 Wentworth.
- 37 km: W edge State, 60' 4" N of 1st fire-hydrant N of 34th St, between crosswalks.
- 38 km: W edge Indiana, 14' 6" S of light pole at SW corner of Indiana & 33rd Blvd.
- 39 km: E edge Michigan, 11' 8" S of 3rd light pole S of 28th St.
- 40 km: E edge Michigan, 61' 6" N of fire-hydrant in-front of 2235 Michigan.
- 41 km: E edge Michigan, 76' N of overpass N of 16th St.

## The Bank of America Chicago Marathon

Chicago, IL US

#### **List of Intermediate Measured Kilometer Points**

As Measured by Neyl A Marquez (IAAF "A"), Palos Park, IL USA

and

Winston Rasmussen (IAAF "B"), Warrenville, IL USA

on

Apr. 28, 2018 & Jun. 23, 2018

START: Northbound Columbus Dr, mag nail, E curb Columbus Dr, 10.5' N of light pole C101 at SE corner of Columbus & Monroe, just S of Monroe.

1 km: W edge Columbus, 29'6" N of traffic light at NW corner of Columbus & North Water St.

2 km: E edge State, 41' 9" N of fire-hydrant at NE corner of State & Hubbard.

3 km: W edge State, 2' S of Chicago WW manhole cover in-front of 26-28 Michigan.

4 km: E edge LaSalle, 59' N of traffic light at NE corner of LaSalle & Monroe.

5 km: E edge LaSalle, 4' 6" N of fire-hydrant at SE corner of LaSalle & Hubbard.

6 km: E edge LaSalle, 56' 6" S of light pole at SE corner of LaSalle & Delaware.

7 km: E edge LaSalle, 45' N of fire-hydrant at NE corner of LaSalle & Schiller.

8 km: Wedge Stockton, 5' N of CTA Bus Stop (Wedge), just S Farm in the Zoo.

9 km: E curb Stockton, 21' 9" S of 3rd light pole S of SE corner of Stockton & Fullerton.

10 km: W edge Cannon, 7' 6" S of 2<sup>nd</sup> light pole at SE of Stockton.

11 km: W edge Lake Shore Dr, 38' 5" N of traffic light at NW corner of Lake Shore Dr & Belmont.

12 km: W edge Lake Shor Dr, 21' 9" N of traffic light at NW corner of Lake Shore Dr & Addison.

13 km: W edge Broadway, 8' 3" N of light pole BR3759 at NE corner of Broadway & Grace.

14 km: E edge Broadway, 4' N of light pole at NW corner of Broadway & Buckingham.

15 km: W edge Broadway, 24' N of fire-hydrant in-front of 2835 Broadway.

16 km: E edge Clark, 15' 5" S of traffic light at NW corner of Clark & Fullerton.

20 km: W edge Wells, 56' 4" S of traffic light at SW corner of Wells & Ontario.

13 mi.: E edge Franklin, 46' 3" S of fire-hydrant at SW corner of Franklin & Lake.

Half Marathon: Wedge Franklin, 4'S of fire-hydrant at NW corner of Franklin & Court.

14 mi.: N edge Adams, 32' E of City manhole cover NE corner of Adams & Halsted.

15 mi.: Mag nail, 7' 10" S of N curb and 29' 11" E of Chicago WW manhole cover at NE corner of Adams & Ashland.

25 km: E edge Damen, 2' 10" N of 2<sup>nd</sup> light pole S of SE corner of Damen & Adams.

16 mi.: N edge Jackson, 30' 1" E of manhole cover, middle of street, at 1640 Jackson parking entrance.

17 mi.: S edge Jackson, 14' 8" E of watermain at 847 Jackson.

18 mi.: S edge Taylor, 42' 9" W of fie-hydrant at NW corner of Taylor & Carpenter.

30 km: Mid intersection, 33' 8" S of fire-hydrant at NW corner of Loomis & Washburne.

19 mi.: E edge Loomis, underneath bridge, 65' S of the N end of the 1st railroad bridge just S of 15th St.

20 mi.: W edge Halsted, 11' 5" S of light pole/Bus Stop sign in-front of 1826 Halsted.

21 mi.: N edge Cermak, 27' 6" East of gates of South Branch Chicago River bridge, W of Canal

35 km: E curb of Wentworth median, 84' S of 1st light pole S of overpass, just S of 24th Pl.

22 mi.: W edge Wentworth, 7' S of fire-hydrant at SW corner of Wentworth & 27th St.

23 mi.: W edge State, 7' 11" N of 1st fire-hydrant N of 34th St, between crosswalks.

24 mi.: E edge Michigan, 4' N of 4th light pole N of fire-hydrant at NE corner of Michigan and 31st St.

40 km: E edge Michigan, 61' 6" N of fire-hydrant in-front of 2235 Michigan.

25 mi.: E edge Michigan, 12' 9" N of light pole at SE corner of Michigan & 21st St.

1 mi. To Go: E edge Michigan, 37' 9" N of fire-hydrant across from 1823 Michigan.

26 mi.: N edge Roosevelt, 7' 4" E of Chicago Sewer manhole cover at NE corner of Roosevelt & Indiana.

FINISH: Northbound Columbus Dr, mag nail, W curb Columbus Dr, 37' 4" S of light pole C1010.

## The Bank of America Chicago Marathon

Chicago, IL USA

#### **List of Intermediate Measured Points**

As Measured by Neyl A Marquez (IAAF "A"), Palos Park, IL USA

and

Winston Rasmussen (IAAF "B"), Warrenville, IL USA

on

Apr. 28, 2018 & Jun. 23, 2018

START: Northbound Columbus Dr, mag nail, E curb Columbus Dr, 10.5' N of light pole C101 at SE corner of Columbus & Monroe, just S of Monroe.

1 mi.: S edge Grand, 30.5' E of fire-hydrant at SE corner of Grand & Rush, just E of Rush.

2 mi.: W edge State, 35' S of traffic light pole at SW corner of State & Adams.

3 mi.: E edge LaSalle, 47' 6" N of fire-hydrant in-front 333 LaSalle bldg.

5 km: E edge LaSalle, 4' 6" N of fire-hydrant at SE corner of LaSalle & Hubbard.

4 mi.: E edge LaSalle, 46' 8" S of fire-hydrant at SE corner of LaSalle & Elm.

5 mi.: E edge Stockton, 30' 6" S of service entrance to Farm in the Zoo.

6 mi.: W edge Cannon, 25' S of 1st fire-hydrant (E side) S of Diversey Harbor Boat Launch entrance.

10 km: W edge Cannon, 7' 6" S of 2<sup>nd</sup> light pole at SE of Stockton.

7 mi.: W edge, Lake Shore Dr local lanes, 38' N of center of Chicago Sewer grate in-front of entrance to 3300 Lake Shore Dr.

8 mi.: E edge Broadway, 14' S of 2<sup>nd</sup> light pole BR3834 (W side) S of Sheridan.

9 mi.: W edge Broadway, 18' S of watermain between 3126 & 3128 Broadway.

15 km: W edge Broadway, 24' N of fire-hydrant in-front of 2835 Broadway.

10 mi.: W edge Clark, 18' S of light pole in-front of 2345 Clark.

11 mi.: N curb of North Ave median, 52' E of City Electrical manhole cover at median just E of Sedgwick.

12 mi.: W edge Wells, 21' N of light pole at NW corner of Wells & Locust.

IL18025NM - p. 2 of 7