



Road Running Technical Council USA Track & Field Measurement Certificate



Name of the course	Parks H	lalf-Marathon	Distance	21.0975km
Location (state)		(city)		
	ce 🗵 calibration cou			
Measuring method: bicy	vcle ⊠ steel tape □	electronic distance m	eter 🗌	
Measured by (name, addres	s, phone & e-mail) Nath	nan Porch, 940 Frenc	htown Rd., Perryville	MD 21903
856.803.7378 nath	an@getsetgoconsulti	ng.com		
Race contact (name, addres	s, phone & e-mail) Don	Shulman, 4137 Danı	ube Ct., Olney, MD 2	0832
202.578.4275, shulma	andon@yahoo.com			
Date(s) when course measu	red: Jul 9 & Jul 23, 2	017		
Number of measurements o	f entire course: 2	Course Configuration:_	Point-to-Point	t
Elevation (meters above sea	level) Start154m	Finish69m	Highest 154m	Lowest 69m
Straight line distance between	en start & finish1	1,974m Drop	4.03 m/km Sepa	aration <u>56.76</u> %
Type of surface: paved	100 % dirt	_ % gravel %	% grass% t	rack%
Effective date of certification	on: Aug. 30	, 2017 Cert	ification code: N	D17024NP
			to Race Director: Use the public announcements re	
Be It Officially Noted That				
Based on examination of data provided by the above named measurer, the course described above and in the map attached is hereby certified as reasonably accurate in measurement according to the standards adopted by the Road Running Technical Council. If <i>any</i> changes are made to the course, this certification becomes void, and the course must then be recertified.				
of USA Track & the Road Running	Field, a verification rem ng Technical Council. If	National Open Record is so easurement may be require such a remeasurement shourse certification will be	red to be performed by a ows the course to be sho	member of
This c	ertification expires	on December 31 in 1	the year 2027]
AS NATIONALLY CERTIFIED BY:				
Nathan F	Porch		Date:Aug	ց. 30, 2017
Nathan Porch – USATF/	RRTC Certifier			
940 Frenchtown Rd Per	ryville MD 21903 85	66 803 7678 nathan@	getsetgoconsulting cor	n

Split Descriptions

Course # MD17024NP

Start: 39° 07' 3.14", -77° 09' 51.06"

On Redland Rd heading NE

A: 37'4" NE of light pole #15014 B: 97'5" SW of light pole #15016 C: 63'6" E of light pole #10 (number on bulb section)

Mile 1: 39° 07' 22.18", -77° 08' 56.78"

On Needwood Rd heading East, even with pole # 757469/620610 (opposite side) and even with house #7304

Mile 2: 39° 07' 34.39", -77° 07' 59.39"

On Needwood Rd heading NE, 45' after pole #762470/70690

Mile 3: 39° 07' 9.93", -77° 07' 31.37"

On Beach Dr. heading South, 55' before stop sign at Needwood Lake Dr.

Mile 4: 39° 06' 57.27", -77° 07' 41.14"

On Needwood Lake Circle heading South, 42' after the double stop signs & even with sign that has address # 15701

Mile 5: 39° 06' 9.83", -77° 07' 29.95"

On Rock Creek Trail heading South, 260' prior to Avery Rd crossing.

Mile 6: 77° 05' 35.18", -77° 06' 58.01"

On RCT heading South, appr. 450' after crossing under Norbeck Rd, 60' before small foot bridge

Mile 7: 39° 04' 53.00", -77° 06' 28.04"

On RCT heading South, 600' after crossing foot bridge

Mile 8: 39° 04' 5.72", -77° 06' 17.25"

On exit ramp side of walking bridge that crosses Veirs Mill Rd., heading South, 226' after exiting ramp.

Mile 9: 39° 03' 34.96", -77° 05' 47.52

On RCT heading ENE, 45' after "winding road" sign (facing opposite direction)

Mile 10: 39° 02' 56.48", -77° 05' 21.74"

On RCT, North of Dahill Rd, heading South. 63' before Randolph Hills Park fork in path

Mile 11: 39° 02' 15.61". -77° 05' 8.87"

On RCT, heading South along Beach Dr., even with the 15th wooden upright pole on cable guardrail

Mile 12: 39° 01' 36.45", -77° 05' 27.58"

On RCT heading NE, 50' after "Rockwood Dr/RCT" sign (facing opposite direction)

Mile 13: 39° 01' 14.38", -77° 06' 1.49"

On Beach Drive heading West, even with orange caution sign on SW corner of bridge

Finish: 39° 01' 17.56", -77° 06' 6.82"

On Beach Drive approaching from the South. A: 58'6" SSW of light pole #M-NCPPC BD#2 B: 45'5" NW of light pole #M-NCPPC BD#3